


# Tape Selection Chart



- **About product codes** – ST: Standard Tape; SL: Streamline Tape; ID: Indoor; OD: Outdoor; HP: High Power; LP: Low Power; XX: Length in feet; A: 2219 LED; B: 2835 LED; 8: 8mm PCB; 0: 10mm PCB.
- **Please check the product pages for available sizes (XX).**

# Applications, Drivers & Controllers

## Applications

- Under Cabinet
- Cove (Low to Mid Ambient Light)

A3 A4 A5 B2

- Cove (High Ambient Light)
- Dark Surfaces (Higher Lumen)
- Under Cabinet

A1 A2 B1

- Wall Grazing
- Displays

A3 A4 A5 B2

- Displays
- Retail
- Shelves
- Under Cabinet
- Displays / Accent
- Back Lighting
- Cove (High Ambient Light)

A1 A2 A3 A4

B1 B2

- Architectural
- Entertainment
- Retail

C1 C2

- Architectural
- Building Outlines
- Signage

D1 D2

## Drivers



Plug-in Driver  
PGID2448/  
PGID2496

A1 A2 A3 A4  
A5 B1 B2 C1  
C2 D1 D2



Switchex®  
SX-24V-DD-100W

A1 A2 A3 A4  
A5



\*Dimmable Driver  
MLDRE-40-24-DM  
MLDRE-96-24-DM

A1 A2 A3 A4  
A5



\*Non-Dimmable Driver  
MLDR-120-24  
(MAX LOAD: 90W / 120W)

A1 A2 A3 A4  
A5 B1 B2 C1  
C2 D1 D2



\*Non-Dimmable Driver  
MLDR-20-24JB

A1 A2 A3 A4  
A5 B1 B2 C1

## Controllers



CNTRL-8Z-RGBCCT-WP

B1 B2 D1 D2  
C1 C2



CNTRL-0-10V-DIM

A1 A2 A3 A4  
A5



CNTRL-4Z-RGBCCT-RM

C1 C2



CNTRL-2W-CCT

B1 B2 D1 D2



CNTRL-RGBCCT

C1 C2



CNTRL-4Z-CCT-RM

B1 B2 D1 D2



CNTRL-AMP

C1 C2



CNTRL-4Z-CCT-RWP-WH  
(White)



CNTRL-4Z-CCT-RWP-BK  
(Black)

B1 B2 D1 D2

# Tape Replacement Guide: Part 1

**High Density, High Power Indoor** {LTP-XX-YY-HD-H90} ➔ **Tunable CCT High Power Indoor** {SL-ID-CCT-HP-XX-A8}

**High Density, Low Power Indoor** {LTP-XX-YY-HD-LP-H90} ➔ **Tunable CCT Low Power Indoor** {SL-ID-CCT-LP-XX-A8}

**CCT Indoor** {LTP-16-CCT-H90} ➔ **Tunable CCT High Power Indoor** {SL-ID-CCT-HP-XX-A8}

**COB Indoor** {LTP-XX-YY-COB-H90} ➔ **Tunable CCT High Power Indoor** {SL-ID-CCT-HP-XX-A8}

**High Efficacy Indoor** {LTP-XX-YY-HE-H90} ➔ **Tunable CCT High Power Indoor** {SL-ID-CCT-HP-XX-A8}

**High Power Indoor** {LTP-XX-YY-H90} ➔ **Tunable CCT High Power Indoor** {SL-ID-CCT-HP-XX-A8}

**High Power, RGB Indoor** {LTP-XX-RGB} ➔ **RGB High Power Indoor** {ST-ID-RGB-HP-20-B8}

**High Power Outdoor** {LTP-OD-20-YY-H90} ➔ **Tunable CCT High Power Outdoor** {SL-OD-CCT-HP-20-B8}

**High Density, Low Power Indoor (3000K)** {LTP-XX-3000K-HD-LP-H90} ➔ **Low Power Indoor (3000K)** {SL-ID-30K-LP-XX-A8} OR **Tunable CCT Low Power Indoor** {SL-ID-CCT-LP-XX-A8}

**Tunable CCT High Power Outdoor** {SL-OD-CCT-HP-20-B8} OR **Outdoor/Indoor RGBW (RGB+3000K)** {SL-OD-RGB30K-20-BA8}

**High Efficacy Indoor (2700K)** {LTP-XX-2700K-HE-H90} ➔ **Standard Tape, High Power Indoor (2700K)** {ST-ID-27K-HP-20-B0} OR **Tunable CCT High Power Indoor** {SL-ID-CCT-HP-XX-A8}

**High Efficacy Indoor (3000K)** {LTP-XX-3000K-HE-H90} ➔ **Standard Tape, High Power Indoor (3000K)** {ST-ID-30K-HP-20-B0} OR **Tunable CCT High Power Indoor** {SL-ID-CCT-HP-XX-A8}

**High Power Indoor (2700K)** {LTP-XX-2700K-H90} ➔ **Standard Tape, High Power Indoor (2700K)** {ST-ID-27K-HP-20-B0} OR **Tunable CCT High Power Indoor** {SL-ID-CCT-HP-XX-A8}

**High Power Indoor (3000K)** {LTP-XX-3000K-H90} ➔ **Standard Tape, High Power Indoor (3000K)** {ST-ID-30K-HP-20-B0} OR **Tunable CCT High Power Indoor** {SL-ID-CCT-HP-XX-A8}

➔ Please check the product pages for available sizes (XX).

➔ ST represents the Standard Tape:  ➔ SL represents the Streamline Tape: 

# Tape Replacement Guide: Part 2

**High Power, RGB Outdoor**  
{LTP-OD-20-RGB}



**Outdoor/Indoor RGBW (RGB+3000K)**  
{SL-OD-RGB30K-20-BA8}

**High Power, RGBW Indoor**  
{LTP-XX-YY-HD-LP-H90}



**Outdoor/Indoor RGBW (RGB+3000K)**  
{SL-OD-RGB30K-20-BA8}

**Low Power Indoor**  
{LTP-XX-YY-H90-LP}



**Tunable CCT Low Power Indoor**  
{SL-ID-CCT-LP-XX-A8}

**Low Power Indoor (2700K)**  
{LTP-XX-2700K-H90-LP}



**Standard Tape, Low Power Indoor (2700K) OR Tunable CCT Low Power Indoor**  
{ST-ID-27K-LP-20-B0} {SL-ID-CCT-LP-XX-A8}

**Low Power Indoor (3000K)**  
{LTP-XX-3000K-H90-LP}



**Low Power Indoor (3000K)**  
{SL-ID-30K-LP-XX-A8}

OR

**Standard Tape, Low Power Indoor (3000K)**  
{ST-ID-30K-LP-20-B0}

OR

**Tunable CCT Low Power Indoor**  
{SL-ID-CCT-LP-XX-A8}

**Low Power Indoor**  
{LTP-XX-YY-LP}



**Low Power Indoor (3000K)**  
{SL-ID-30K-LP-XX-A8}

**Low Power Outdoor**  
{LTP-OD-20-YY-H90-LP}



**Tunable CCT Low Power Outdoor**  
{SL-OD-CCT-LP-20-B8}

**Low Power, RGB Indoor**  
{LTP-XX-RGB-LP}



**RGB High Power Indoor**  
{ST-ID-RGB-HP-20-B8}

**Low Power, RGB Outdoor**  
{LTP-OD-20-RGB-LP}



**Outdoor/Indoor RGBW (RGB+3000K)**  
{SL-OD-RGB30K-20-BA8}

**Dim to Warm**  
{LTP-XX-WW-DIM-H90}



**Please Contact Customer Care**

➡ Please check the product pages for available sizes (XX).

➡ Customer Care: [lights@magiclite.com](mailto:lights@magiclite.com) | 905.825.9592

➡ ST represents the Standard Tape:



➡ SL represents the Streamline Tape:

